



Diagnostic

DID YOU KNOW?

Using a Video Scope Can Help You Inspect Components Without Disassembly, Saving You Time, Money and Downtime.

Timing Lights

Pro Timing Light with Tool Case

SKU 108154 **149⁹⁹**
 INN5568



- Four Function Digital Readout and Easy-to-Read Backlit LCD
- Tachometer: 249 to 9,990 RPM
- Advance Degrees (2 and 4 Cycle): 0° to 90°
- Dwell: 0° to 180°/ 2-12 Cylinders
- Voltage: 10 to 16 Volts DC
- Switches From 2-Cycle to 4-Cycle
- Heavy-Duty ABS/Polycarbonate Shockproof Housing, Molded Boots, Built-In Hand Guard for Protection
- Detachable 6' Leads with Metal Inductive Pickup
- Patented Skip Circuitry Test up to 9,990 RPM

Borescopes



The Seeker USB Video System

SKU 186419 **89⁹⁹**
 GTCDCS050-09


- 3 Ft. Probe 9 mm Diameter
- Powered by USB on Computer (Not Included)
- Displays on Computer Screen
- Water, Dust and Oil Proof
- Includes Handle/Probe, Software, USB Extension Cable
- Windows XP, ME, 2000 or Vista



The Seeker 200-09 Video Inspection System

SKU 186418 **179⁹⁹**
 GTCDCS200-09

- Compact Video Borescope
- 2.4" Color LCD Screen
- 9mm Diameter Probe
- Flexible 3.3 Ft Probe
- View Findings Instantaneously
- 1 Year Manufacturer's Warranty



The Seeker Video Inspection System

SKU 186421 **399⁹⁹**
 GTCDCS400-05

- Compact Video Borescope with a Detachable Screen
- 3.5" Color LCD Screen
- 5.5mm Diameter Probe
- Flexible 3.3 Ft. Probe
- Transmission Range 32 Ft
- 1 Year Manufacturer's Warranty

Timing Lights

Pro Timing Light with Tool Case

SKU 108154 **149⁹⁹**
 INN5568



- Four Function Digital Readout and Easy-to-Read Backlit LCD
- Tachometer: 249 to 9,990 RPM
- Advance Degrees (2 and 4 Cycle): 0° to 90°
- Dwell: 0° to 180°/ 2-12 Cylinders
- Voltage: 10 to 16 Volts DC
- Switches From 2-Cycle to 4-Cycle
- Heavy-Duty ABS/Polycarbonate Shockproof Housing, Molded Boots, Built-In Hand Guard for Protection
- Detachable 6' Leads with Metal Inductive Pickup
- Patented Skip Circuitry Test up to 9,990 RPM

Digital Videoscope with 3.5 LCD 5.5mm Probe

SKU 222477 **259⁹⁵**
 AULMV400-55

- Rechargeable Li-Ion Battery
- Probe Diameter 5.5mm and Fits Most Spark Plug Holes
- Cable Length 36"



Digital Videoscopes with 2.4 LCD 8.5mm Probe

SKU 222475 **159⁹⁵**
 AULMV208-85

SKU 255816 **199⁹⁵**
 AULMV208-55



- Ideal Tools for Examining Difficult-to-Reach Areas
- Record Digital Still Images and MPEG2 or MPEG1 Video
- Cable Length 36"



Headlamp Restoration



SYM75010090

Headlamp Resurfacers

- Simple Process
- Eliminates Hazing and Yellowing of Headlamps
- Final Step Preserves Service for 2 Years or More

Professional Series

SKU 112468 **129⁹⁹**
 SYM75010030

- Kit Restores Up to 35 to 40 Vehicles

Platinum Series

SKU 112428 **399⁹⁹**
 SYM75010090

- Kit Restores Up to 70 Vehicles

Headlight Aimers

SYMBCA4 ISO Color

SKU 237649 **579⁹⁹**
 SYMBCA4

- Rotational Mast Aligns in Five Easy Steps
- (Not Approved for State Inspection Programs)



SYMHBA 5 Electronic

SKU 237653 **1,669⁹⁹**
 SYMHBA5

- Photo-Sensor Positioning
- 8' Floor Guidance Track
- Approved and Certified for All Safety Inspection Centers Including MD & VA



SYMSCA-1ISO Color

SKU 444394 **799⁹⁹**
 SYMSCA1

- Durable, Lightweight, Compact and Portable
- Adjustable Height with Rotating Mast
- Laser Floor Slope
- Filed Calibration



SYMCA3 EZISO Color with Visual Assist Meter

SKU 237652 **1,099⁹⁹**
 SYMCA3

- Hot Spot Alignment Simple and Fast with ISO Color Technology
- Visual Assist Meter Assures Lamp Position



Ford Headlight Adjusting Tool

SKU 246385 **3⁹⁹**
 25434

- Fits 4mm Hex Headlight Adjusting Bolts on Late Model Ford, Mercury and Lincoln Cars and Pickups with Aerodynamic Headlights



Air Compressors

Air Compressors



SKU 780445 **79⁹⁹**
 MV-50

- Inflates a Full Size Truck Tire in Under 4 Minutes (25-35 PSI)
- Inflates a Passenger Car Tire in Under 1 Minute (25-35 PSI)
- Powerful 12-Volt Motor
- Powers Directly from a Car Battery
- Quick Release 16 Ft. Coil Hose with E-Z Twist Brass Inflator, Type M Fitting, 8 Ft. Power Cord, Convenient Nylon Carry Bag, 3 Adapter Nozzles for Inflating Sports Balls, Rafts and Toys
- Max Amperage: 30 A
- Max PSI: 150
- Flow Rate: 2.54 CFM
- Air Volume: 4389 Cubic Inches/Per Minute
- Voltage: 12V



SKU 780452 **199⁹⁹**
 MV-89G

- Inflates a Full Size Truck Tire in Under 1.5 Minutes (25-35 PSI)
- Inflates a Passenger Car Tire in Under 30 Seconds (25-35 PSI)
- Powerful 12-Volt Motor
- Powers Directly from Car Battery
- Quick Release 24 Ft. Coil Hose with E-Z Twist Brass Inflator
- Includes Air Chuck, Type M Fitting, 10 Ft. Power Cord, Convenient Nylon Carry Bag, 3 Adapter Nozzles for Inflating Sports Balls, Rafts, and Toys
- Max Amperage: 45A
- Max PSI: 120
- Flow Rate: 3.17 CFM
- Air Volume: 5400 Cubic Inches/Per Minute
- Voltage: 12V



SKU 780320 **229⁹⁹**
 MV-90

- Inflates a Full Size Truck Tire in Under 1.5 Minutes (25-35 PSI)
- Inflates a Passenger Car Tire in Under 30 Seconds (25-35 PSI)
- Powerful 12-Volt Motor
- Powers Directly from Car Battery
- Includes: Quick Connect 24 ft. Coil Hose, Type M Fitting, Needle Adapters, Air Chuck, E-Z Twist Brass Inflator and 5 ft. Power Cord
- Max Amperage: 45A
- Max PSI: 140
- Flow Rate: 3.71 CFM
- Air Volume: 6400 Cubic Inches/Per Minute
- Voltage: 12V

Air Compressors

COMPARE AND SAVE

TWO STAGE 60 GALLON



Lift Gate Service
SKU 262532
IRTLIFTGATE
80⁰⁰

\$1,449⁹⁹

Two Stage 5 HP 60 Gallon Vertical

- SKU 210433 | IRT2340L5
- CFM: 14.7 @ 175 PSI
 - Cast Iron Pump
 - 230 Volt / Single Phase
 - Factory-mounted and Wired Motor Starter

Start Up Kit 99⁹⁹
SKU 970496 | IRT32305880

- 4 Quarts Synthetic Lube and 2 Air Filters
- Use of Kit Extends Compressor Warranty to 2 Years

COMPARE AND SAVE

\$1,179⁹⁹

Two Stage 4.5 HP 60 Gallon Vertical with Magnetic Starter

- SKU 110299 | OEMTE5060VM
- CFM: 15 @ 150 PSI
 - Cast Iron Pump
 - 230 Volt / Single Phase
 - Factory-mounted and Wired Motor Starter
 - Easy Access Drains

- PLUS:**
- Vibration Damper Pads
 - Synthetic Oil

Lift Gate Service
SKU 295540
OEMLIFTGATE
80⁰⁰

IN STOCK Ready To Ship



OEM

Everyone Can Own A 10 Horse!
IN STOCK Ready To Ship

Two Stage 10 HP 120 Gallon Horizontal Single Phase

SKU 110303
OEMTUK100120M1 **2,999⁹⁹**

- 230 Volt / Single Phase / 3 Cylinder
- Magnetic Starter Included
- CFM: 32.5 @ 175 PSI
- Low Oil Shut-off
- Synthetic Oil
- Auto Drain



Leasing Terms Available.
Ask Your AutoZone® Commercial Sales Manager.
Free Delivery!
in 48 Continental United States

TWO STAGE | 5HP | 80 GALLON



Lift Gate Service
SKU 262532
IRTLIFTGATE
80⁰⁰

\$2,399⁹⁹

Two Stage 5 HP 80 Gallon Vertical

- SKU 095102 | IRT2475N5V
- Cast Iron Pump
 - CFM: 16.8 @ 175 PSI
 - 230 Volt / Single Phase
 - Factory-mounted and Wired Motor Starter

Start Up Kit 99⁹⁹
SKU 970496 | IRT32305880

- 4 Quarts Synthetic Lube and 2 Air Filters
- Use of Kit Extends Compressor Pump Warranty to 2 Years

COMPARE AND SAVE

\$1,699⁹⁹

Two Stage 5 HP 80 Gallon Vertical

- SKU 110300 | OEMTN5080VM
- Cast Iron Pump
 - CFM: 19.6 @ 175 PSI
 - 230 Volt / Single Phase
 - Factory-mounted and Wired Motor Starter
 - Easy Access Drains

- PLUS:**
- Vibration Damper Pads
 - Low Oil Shut-off
 - Synthetic Oil

Lift Gate Service
SKU 295540
OEMLIFTGATE
80⁰⁰

IN STOCK Ready To Ship



OEM

Single Stage 5 HP 20 Gallon Vertical Compressor
SKU 110315
PUMPK5020VP
529⁹⁹

- CFM: 7.1 @ 40 PSI
- CFM: 5.5 @ 90 PSI
- 120/240 Volt / Single Phase

TWO STAGE | 7.5HP | 80 GALLON



Lift Gate Service
SKU 262532
IRTLIFTGATE
80⁰⁰

\$2,489⁹⁹

Two Stage 7.5 HP 80 Gallon Vertical

- SKU 210434 | IRT2475N7.5
- CFM: 24.0 @ 175 PSI
 - Cast Iron Pump
 - 230 Volt / Single Phase
 - Factory Mounted and Wired Motor Starter

Start Up Kit 99⁹⁹
SKU 970496 | IRT32305880

- 4 Quarts Synthetic Lube and 2 Air Filters
- Use of Kit Extends Compressor Pump Warranty to 2 Years

COMPARE AND SAVE

\$2,199⁹⁹

Two Stage 7.5 HP 80 Gallon Vertical

- SKU 110301 | OEMTUE7580VM
- CFM: 24.8 @ 175 PSI
 - Cast Iron Pump
 - 230 Volt / Single Phase
 - Factory Mounted and Wired Motor Starter
 - Easy Access Drains

- PLUS:**
- Low Oil Shut-off
 - Vibration Damper Pads
 - Synthetic Oil

Lift Gate Service
SKU 295540
OEMLIFTGATE
80⁰⁰

IN STOCK Ready To Ship



OEM

Single Stage 7 HP 60 Gallon Vertical

SKU 110297
OEMPK7060VS
959⁹⁹

- 230 Volt / Single Phase
- CFM: 20.3 @ 40 PSI / 18.2 @ 90 PSI
- Synthetic Oil

- PLUS:**
- Vibration Damper Pads



IN STOCK Ready To Ship

TWO STAGE | 10HP | 120 GALLON



Lift Gate Service
SKU 262532
IRTLIFTGATE
80⁰⁰

\$2,799⁹⁹

Two Stage 10 HP 120 Gallon Horizontal

- SKU 210437 | IRT2545E10V
- CFM: 35 @ 175 PSI
 - Cast Iron Pump
 - 230 Volt/Three Phase
 - Factory Mounted and Wired Motor Starter

Start Up Kit 99⁹⁹
SKU 970497
IRT32305898

- 4 Quarts Synthetic Lube and 2 Air Filters
- Use of Kit Extends Compressor Pump Warranty to 2 Years

COMPARE AND SAVE

\$2,599⁹⁹

Two Stage 10 HP 120 Gallon Horizontal Three Phase

- SKU 110305 | OEMTUK100120M3
- CFM: 32.5 @ 175 PSI
 - Cast Iron Pump
 - 230 Volt/Three Phase
 - Factory Mounted and Wired Motor Starter

- PLUS:**
- Low Oil Shut-off
 - Synthetic Oil
 - Auto Drain



Lift Gate Service
SKU 295540
OEMLIFTGATE
80⁰⁰

IN STOCK Ready To Ship

OEM

Single Stage 6 HP 60 Gallon Vertical Compressor
SKU 436011
PUMPK6060V
599⁹⁹

- CFM: 13.5 @ 40 PSI
- CFM: 12 @ 90 PSI
- 230 Volt / Single Phase

GASOLINE | 13HP | 30 GALLON

13 HP 30 Gallon Horizontal with HONDA Engine

- SKU 110435 | IRT2475F13GH
- Gas Powered Honda Engine
 - CFM: 25 @ 175 PSI
 - Cast Iron Pump

Start Up Kit 89⁹⁹
SKU 970499
IRT32312936

- For 2475F13GH 4 Cycle Gas Compressor
- Kit Includes 2 Air Filter Elements, 2 Quarts 4 Cycle Engine Oil, 4 Liters of All Season Synthetic Lube
- Using this Kit Extends Compressor Pump Warranty to 2 Years

\$2,799⁹⁹

COMPARE AND SAVE

\$2,349⁹⁹

13 HP 30 Gallon Horizontal with HONDA Engine

- SKU 110306
OEMTUK13030HGE
- Gas Powered Honda Engine
 - CFM: 22 @ 175 PSI
 - Cast Iron Pump

- PLUS:**
- Synthetic Oil

Lift Gate Service
SKU 295540
OEMLIFTGATE
80⁰⁰

IN STOCK Ready To Ship

OEM

5.5 HP 30 Gallon Horizontal with HONDA Engine

SKU 110298
OEMPUK5530G **1,099⁹⁹**

- Gas Powered Honda Engine
- CFM: 10.5 @ 90 PSI

Two Stage 8 HP 30 Gallon Horizontal with HONDA Engine

SKU 979920
OEMTUE8030HGE **1,899⁹⁹**

- Gas Powered Honda Engine
- CFM: 16.5 @ 175 PSI



Free Delivery! Leasing Terms Available for All Compare and Save Air Compressors
in 48 Continental United States Ask Your AutoZone® Commercial Sales Manager.



Air Compressors

Air Compressors

EXCEPTIONAL STRENGTH AND TIME PROVEN DESIGN

- Available in 5 HP to 10 HP and 15 - 37 cfm @ 100 PSI
- Solid cast iron cylinder, crankshaft and valve plates provide the strength that is required for everyday use
- Aluminum head and coolers with deep fins allow for unmatched heat dissipation
- Balanced pistons and crankshaft mean smoother and quieter operation
- Oversized main bearings and automotive style replaceable insert bearings for a durable compressor pump
- All units are 100% tested at full pressure and have a full 2 year "bumper to bumper" warranty



WE OFFER A FULL LINE OF CHICAGO PNEUMATIC AIR COMPRESSORS CALL 877-AZTOOL-1 FOR PRICES.

Offer Good July 1-Sept. 30, 2013



5 HP 60 Gallon Two Stage Reciprocating Air Compressor Standard

SKU 344627
 CPTRPC561VNS

- Two Stage Electric Simplex
- HP: 5
- Electrics Volts/Phase: 208-230 / 1
- CFM Displacement: 18.6
- CFM @ 100 PSI: 15.3
- Tank Size (Gallons): 60V
- Magnetic Starter: n/a
- Recommended Dryer: CPXHT-25

Lift Gate Service
 SKU 361260 CPTLIFTGATE
125⁰⁰

NOW 1,099⁹⁹
 WAS 1,139⁹⁹

STANDARD MODEL FEATURES-DENOTED BY "S"
 Start-Stop Pressure Switch Control, ASME Safety Valves
 Fully-Enclosed Belt Guard, Manual Tank Drain and Discharge Valve

PREMIUM MODEL FEATURES
 Standard Features in addition to: Low Oil Level Switch, Automatic Tank Drain
 5 - 7.5 HP includes Triple-pass Pump Mounted Aftercooler
 10 HP includes Belt Guard Aftercooler



7.5 HP 80 Gallon 2 Stage Single Phase Vertical Air Compressor Premium

SKU 344631
 CPTRPC7581V

- Two Stage Electric Simplex
- HP: 7.5
- Electrics Volts/Phase: 208-230 / 1
- CFM Displacement: 32.5
- CFM @ 100 PSI: 25.3
- Tank Size (Gallons): 80V
- Magnetic Starter: Included
- Recommended Dryer: CPXHT-50

NEW LOW PRICE!
NOW 2,329⁹⁹
 WAS 2,479⁹⁹

Lift Gate Service
 SKU 361260 CPTLIFTGATE
125⁰⁰



13 HP 30 Gallon Two Stage Gas Driven Horizontal Reciprocating Air Compressor With Honda Engine

SKU 344741
 CPTRPC1330G

- Two Stage Gasoline Drive
- HP: 13
- Electric and Recoil Start: Standard
- Engine: Honda
- CFM Displacement: 32.5
- CFM @ 100 PSI: 25.3
- Tank Size (Gallons): 30H
- Ship Weight (Lbs.): 378
- L x W x H (Inches): 45 x 19 x 45

NOW 2,499⁹⁹
 WAS 2,577⁹⁹

Lift Gate Service
 SKU 361260 CPTLIFTGATE
125⁰⁰



Piping Systems



RapidAir Compressed Air Piping System - 1/2" Master Kit

SKU 360485
 RAP90500

- Designed to Easily Install Beneath Walls of New Construction, or on Wall Surfaces of Existing Workshops
- Allows Compressed Air Lines Exactly Where You Want Them, Just Like Electrical Outlets
- Includes: 2 Air Outlet Kits, 1 Compressor Manifold Kit, 100' Nylon Tubing, and Tubing Cutter



100 Ft. RapidAir Tubing Kit

SKU 360549
 RAP20100

49⁹⁹

1/2" RapidAir Outlet Kit

SKU 360542
 RAP90100

29⁹⁹

Compressor Manifold Kit

SKU 360548
 RAP90200

34⁹⁹

Maxline Compressed Air Piping System - 3/4" Master Kit

SKU 360593
 RAPM7500

249⁹⁹

- Heavier Duty Components for Longer Air Runs in Larger Buildings
- 3 Air Outlets, 1 - 3/4 Inch Np Straight Fitting, 2 Tees, 20 Clips
- 100 Feet of 3/4 Inch HDPE Tubing



300 Ft. 3/4" MaxLine Tubing Kit

SKU 360650
 RAPM6031

369⁹⁹



100 Ft. 3/4" MaxLine Tubing Kit

SKU 360649
 RAPM6030

139⁹⁹

3/4" MaxLine Outlet Kit

SKU 360629
 RAPM7510

29⁹⁹



3/4" MaxLine Elbow Fitting

SKU 360655
 RAPM8067

15⁹⁹

3/4" MaxLine Straight Fitting

SKU 360653
 RAPM8003

12⁹⁹

3/4" MaxLine Tee Fitting

SKU 360654
 RAPM8011

19⁹⁹

3/4" MaxLine Tubing Clamp -10 Pack

SKU 360657
 RAPM8065

13⁹⁹

3/4" MaxLine Union Fitting

SKU 360656
 RAPM8022

13⁹⁹

Accessories



100' Manual Steel Hose Reel

SKU 291343
 25970

29⁹⁹

- Hand Crank with Spring Loaded Axle for Easy Winding
- Mount Horizontally or Vertically

3/8" x 50' Air Hose Reel

SKU 900815
 25979

99⁹⁹

- Features a Metal Spring Guide and Smooth Automatic Retracting Spring Coil
- Max Pressure: 300 PSI



Dual Support, Spring Rewind Hose Reel with 50' Hose

SKU 901689
 RANRH50PL

244⁹⁹

- 50' 300 PSI Hose Included
- Air or Water

Dual Support, Spring Rewind Hose Reel with Super Duty 50' Hose

SKU 901694
 RANRH50PM

299⁹⁹

- 50' 2250 PSI Hose Included
- Air, Water, Oil or Grease

3/8" x 50' Value Series Air Hose Reel

SKU 972284
 LIN83753


174⁹⁹

1/2" x 50' Value Series Air Hose Reel

SKU 972285
 LIN83754

194⁹⁹

- Retractable Delivery Hose
- Durable Heavy Gauge Steel Construction
- Slotted Mounting Base for Easy Installation



Air Tool Oiler

SKU 222852
 STK16600

54⁹⁹
 • Allows Technicians to Easily and Conveniently Oil Their Air Tool Each Time it is Retrieved from the Tool Box
 Toolbox NOT Included.



3/8" ID x 1/4" NPT Swivel End Whip Hose

SKU 186489
 IRTWH385

19⁹⁹

- 1-1/4 x 1/4" NPT Ends
- Operates up to 200 PSI

3/8" Filter & Regulator

SKU 301620
 PUMAA2023FR

59⁹⁹

1/2" Filter & Regulator

SKU 301623
 PUMAA2024RF

69⁹⁹

Compressor Oil SAE30 1 Qt

SKU 301791
 PUM074-SAE30-1QT

19⁹⁹

Compressor Synthetic Oil 1 Qt

SKU 301795
 PUM074-SYN30-1QT

29⁹⁹



3/8" x 25' Red Rubber Air Hose, 1/4" NPT Male Ends

SKU 978117
 24905

26⁹⁹


- 250 PSI Working Pressure

3/8" x 50' Red Rubber Air Hose, 1/4" NPT Male Ends

SKU 978112
 24906

32⁹⁹

- 250 PSI Working Pressure



PVC Air Hose 3/8" x 50'

SKU 266621
 25838

19⁹⁹

- 1/4" NPT (M) Ends
- Protective Hose Sleeves
- 350 PSI Max
- 1400 PSI Burst Pressure

1/2" NPT Female Filter Regulator Lubricator

SKU 977536
 IRTC38341810

199⁹⁹

- ARO Piggyback Filter/Regulator
- Promotes Extended Tool Life
- Removes Rust, Scale and Condensation
- Provides Constant Preset Air Pressure
- Lubricator Provides Oil to Air Tools



1/2" NPT Female General Purpose Filter SKU 977534 IRTF35341410 **74⁹⁹**

1/2" NPT Female General Purpose Regulator ..SKU 977516 IRT37341600 **74⁹⁹**

3/8" NPT Female Filter Regulator Lubricator ..SKU 977537 IRTC38331810..... **194⁹⁹**

3/8" NPT Female Filter Regulator Over Under SKU 977535 IRT39334610.... **104⁹⁹**