

### Tire Service

#### Tire Changers

##### Tilt Back 23" Capacity Tire Changer/NextGen™ Series

SKU 980172 **1,810<sup>00</sup>**  
RANR23LT

- Turbo Blast Bead Seating System
- Drive System: Air/Electric 2HP Motor 110-220 Vac
- Internal Rim Clamping Capacity 11.5" to 24"
- External Rim Clamping Capacity 10" to 22"
- Maximum Tire Diameter 41"
- Turntable Mounting Capacities: 4" to 18"
- Tilt Back Tower for Greater Clearance
- Wheel Protection Package Included



**Lift Gate Service**  
SKU 262533 RANLIFTGATE **135<sup>00</sup>**

##### NextGen™ RimGuard™ Swing-arm 25" Tire Changer

SKU 312817 **1,855<sup>00</sup>**  
RANR980XR

- Drive System: Electric / Air
- Wheel Clamping Capacity: 4 Internal / External Clamps
- Tire Width: 3" to 22"
- Powerful bead seating system: TurboBlast
- Internal rim clamping capacity: 11.5" - 24"
- External rim clamping capacity: 10" - 22"
- Internal rim clamping capacity: 13" - 25-1/2"
- External rim clamping capacity: 11-1/2" - 23-1/2"



**Lift Gate Service**  
SKU 262533 RANLIFTGATE **135<sup>00</sup>**

##### TC 220S Swing Arm Tire Changer

SKU 289888 **2,099<sup>00</sup>**  
BOSF00E900183

- Powerful Bead Loosening Force With Pivoting Side Shovel
- Proven Swing Arm Design with Outside Clamping Up to 20"
- The Mount/Demount Shaft Has a Rigid Hexagonal Design While Inflation Jets That Are Built Into Clamps Ensure Easy Bead Seating
- For a Safer Inflation Process, There is a Tire Pressure Inflation Limiter



**Lift Gate Service**  
SKU 298692 BOSLIFTGATE **50<sup>00</sup>**

##### NextGen™ RimGuard™ 33" Double Bead Roller Power Assist Changer

SKU 312819 **2,985<sup>00</sup>**  
RANR30XLT

- Wheel Clamping Method: 4 Internal / External Clamps
- Bead Breaking System: Pneumatic Blade
- Power Assist Towers: Integrated Center Post
- Powerful Bead Seating System: Turboblast / Bead Seating
- Internal Rim Clamping Capacity: 13" - 33" / 330 mm - 838 mm
- External Rim Clamping Capacity: 10" - 28" / 279 mm - 711 mm
- Turntable Tire Width Capacity Mount: 5" - 22" / 127 mm - 559 mm
- Bead breaker Tire Width Capacity Demount: 3" - 15" / 76 mm - 381 mm
- Maximum Tire Diameter: 50" / 1,270 mm



**Lift Gate Service**  
SKU 262533 RANLIFTGATE **135<sup>00</sup>**

##### TCE 4225 Swing Arm Tire Changer

SKU 289887 **3,245<sup>00</sup>**  
BOSF00E900666

- Maximum Rigidity and Turntable Torque
- High Performance Mount/Demount Head With Tire Iron Slot
- Opposing Adjustable Jaws with Inflation Jets
- 3-Position Telescopic Bead Breaker
- Visit Boschdiagnostics.com for Rebate Details

**\$3045**  
After Manufacturer's  
**\$200 REBATE**  
with Purchase of  
BOSF00E900666  
SKU 289887

##### TCE 4230 Swing Arm Tire Changer

SKU 289885 **6,895<sup>00</sup>**  
BOSF00E900668

- Maximum Rigidity And Turntable Torque
- High Performance Mount/Demount Head with Tire Iron Slot, Ideal for Mounting Low Profile Tires
- Non-Opposing Adjustable Jaws with Inflation Jets
- Ideal for Servicing Tire Pressure Monitoring Systems (Tpms)
- Wheel Restraint Inflation System and Pressure Limiter for Safer Tire Inflation
- Visit Boschdiagnostics.com for Rebate Details

**\$6595**  
After Manufacturer's  
**\$300 REBATE**  
with Purchase of  
BOSF00E900668  
SKU 289885



**Lift Gate Service**  
SKU 298692 BOSLIFTGATE **50<sup>00</sup>**

Bosch Rebate Forms Available at [www.boschdiagnostics.com](http://www.boschdiagnostics.com)

#### Wheel Balancers



##### Digital Wheel Balancer

SKU 977528 **1,530<sup>00</sup>**  
RANDST4240

- Motor 3/4 HP, 110v/220v 50/60hz 1 PH
- Balancing Modes: Dynamic/Static/ 3-Alloy
- Cycle Time: 6 to 9 Seconds
- Self Calibrating
- Max Tire Diameter 47"/1194mm
- Max Tire Weight: 145 Lbs
- Balancing Speed: 180 RPM
- Balance Increments: 0.25 or 0.01 Oz
- Accuracy: ± 1 gram / .035 Oz.

**Lift Gate Service**  
SKU 262533 RANLIFTGATE **135<sup>00</sup>**



##### 2350 Wheel Balancer With 10 Balancing Modes

SKU 290002 **2,715<sup>99</sup>**  
HOFEWB701D

- Maximum Wheel Width: 21"
- Maximum Wheel Diameter: 30"
- Maximum Tire Diameter: 48"
- Max Wheel & Tire Assembly Weight: 150 Lbs
- Motor: 1 HP (Acceleration HP)
- Accuracy: 1g or 0.05 oz
- Balancing Modes: 10
- Dimensions (DxWxH): 16.5"x29.5"x40"
- Power Requirements: 120V, 1Ph, 60HZ

**Lift Gate Service**  
SKU 290017 HOFLLIFTGATE **95<sup>00</sup>**



##### WBE 4110 Digital Compact Wheel Balancer

SKU 289889 **2,945<sup>00</sup>**  
BOSF00E900660

- Positioning Pedal Locks The Wheel During Weight Attachment
- Space Saving Hood Supplied Standard
- Quick Clamp Wingnut
- Extended 40 Mm Shaft
- Standard Five Cone Passenger Care Cone Kit (44-130 mm), Lt (Light Truck) Spacer Ring

**\$2795**  
After Manufacturer's  
**\$150 REBATE**  
with Purchase of  
BOSF00E900660  
SKU 289889

##### WBE 4140 LCD Monitor Compact Wheel Balancer

SKU 289890 **3,795<sup>00</sup>**  
BOSF00E900661

- Multiple Static and Dynamic Balance Modes
- Hidden Spoke Balancing Modes
- Positioning Pedal Locks Wheel During with Attachment
- Space-Saving Hood Included Standard
- Quick Clamp Wingnut
- Extended 40 Mm Shaft
- Visit Boschdiagnostics.com for Rebate Details

**Lift Gate Service**  
SKU 298692 BOSLIFTGATE **50<sup>00</sup>**

**\$3495**  
After Manufacturer's  
**\$300 REBATE**  
with Purchase of  
BOSF00E900661  
SKU 289890

Bosch Rebate Forms Available at [www.boschdiagnostics.com](http://www.boschdiagnostics.com)

**Leasing Terms Available.**  
Ask Your AutoZone Specialist for Details

Questions? Call AutoZone®  
Tool & Equipment Customer Service:  
1-877-AZTool1 (1-877-298-6651)



**Tire Service**

**Tilt Back  
23" Capacity  
Tire Changer  
NextGen™ Series  
with Single  
Assist Tower**

SKU 980171  
RANR23AT

**2,655<sup>00</sup>**

- Turbo Blast Bead Seating System
- Drive System: Air/Electric 2HP Motor 110-220 Vac
- Internal Rim Clamping Capacity 11.5" to 24"
- External Rim Clamping Capacity 10" to 22"
- Maximum Tire Diameter 41"
- Turntable Mounting Capacities: 4" to 18"
- Tilt Back Tower for Greater Clearance
- Wheel Protection Package Included



**Lift Gate Service**

SKU 262533  
RANLIFTGATE **135<sup>00</sup>**

**1520 Tire  
Changer with  
10"-20" Clamping**

SKU 290001  
HOFM1520110 **2,888<sup>99</sup>**

- Overall Wheel Clamping Diameter 10" - 20"
- Inner-Wheel Clamping Diameter: 12" - 20"
- Outer-Wheel Clamping Diameter: 10" - 18"
- Bead Breaker Range: 2" - 13"
- Bead Loosening Power: 6,000 lbs.
- Maximum Wheel Width: 13"
- Maximum Outer Tire Diameter: 40"
- Work Area Dimensions: (DxWxH) 72"x68"x85"
- Air Requirements: 100 to 175 PSI @ 5 CFM
- Power Requirements: 120V, 1Ph, 60HZ



**Lift Gate Service**

SKU 290017  
HOFLIFTGATE **95<sup>00</sup>**

**Model 5035E  
Tire Changer**

SKU 988892  
AMM8047106 **3,199<sup>99</sup>**

- Electric Drive Turntable for Reduced Noise
- Rim Diameter External: 12"-19" External
- Rim Diameter Internal: 15"-22" Internal
- Rim Width: 10" Max
- Tire Diameter: 40" Max
- Includes: Lube Applicator, Lube Bottle, Bead Lift Tool, Hose with Air Chuck, Inflation Safety Limiter and Filter Lubricator



**INCLUDES**  
Manufacturer's  
Set-Up and Training

**Lift Gate Service**  
SKU 262529  
AMMLIFTGATE **55<sup>00</sup>**

**Model 5045E  
Tire Changer**

SKU 988894  
AMM8047107 **3,499<sup>99</sup>**

- Rim Diameter External: 10"-21"
- Rim Diameter Internal: 12"-24"
- Rim Width: 10.5" Max
- Tire Diameter: 40" Max
- Includes: Lube Applicator, Lube Bottle, Bead Lift Tool, Hose with Air Chuck, Inflation Safety Limiter and Filter Lubricator



**INCLUDES**  
Manufacturer's  
Set-Up and Training

**Lift Gate Service**  
SKU 262529  
AMMLIFTGATE **55<sup>00</sup>**

**Model 70X Rim Clamp  
Tire Changer with  
Robo-Arm®**

SKU 979911 (Air) SKU 979917 (Electric)  
AMM80070XAF3 AMM80070XEF3

**7,999<sup>99</sup> 7,999<sup>99</sup>**

- Robo-Arm™ Assists in Top Bead Mounting for Stiff Sidewalls, Low Profiles and Run Flat Tires
- Wheel Weight and Tool Storage Cabinet
- Rim Diameter External: 6" to 22"
- Rim Diameter Internal: 8" to 24"
- Rim Width: 14" Max
- Bead Loosening: Hand or Foot Controlled



**INCLUDES**  
Manufacturer's  
Set-Up and Training

**Lift Gate Service**  
SKU 262529  
AMMLIFTGATE **55<sup>00</sup>**

**BONUS**

**28" Grip Max Clamps**  
for Rim Clamp  
Tire Changers  
with Purchase of  
AMM80070XAF3 or  
AMM80070XEF3



**\$630  
Retail Value**

**Wheel Balancers**



**INCLUDES**  
Manufacturer's  
Set-Up and Training

**Model 1000  
Wheel Balancer**  
SKU 212808  
AMM85009045 **3,269<sup>99</sup>**

**Model 775  
Wheel Balancer**  
SKU 210246  
AMM85007775 **3,099<sup>99</sup>**

**Model 875  
Wheel Balancer**  
SKU 210248  
AMM85008875 **4,149<sup>99</sup>**

**Lift Gate Service**  
SKU 262529 AMMLIFTGATE **55<sup>00</sup>**

**For a complete  
listing of Tire  
Changers,  
Wheel Balancers  
and any other  
Tire Service  
products, call  
your AutoZone  
Customer Service  
Representative  
at  
1-877-298-6651.**

**Wheel Tool**

**4 Piece  
Plastic Scrapers**

SKU 900802  
25513 **24<sup>99</sup>**

- Use to Remove Moldings
- Works Like a Chisel
- Won't Scratch Paint



**Wheel  
Weight Tool**

SKU 217378  
25690

**14<sup>99</sup>**

- Tool Installs, Removes, Trims and Tightens All Types of Clip-on Wheel Weights



**Start Kits with Storage**

Includes Header Card, Channel Cards, Planogram, Rim Gauges, Wall Chart, Weight Hammer and Tape-a-Weight Scraper



**Bench Top Rack with  
1250 Lead Weights in 6  
Styles**

SKU 382825  
AMM5202130 **358<sup>99</sup>**

**NEW**

**Floor Rack  
with 1800  
Steel Weights in 8  
Styles**

SKU 383179  
AMM5202075 **810<sup>99</sup>**



**Steel Roll Weights**

SKU 382953  
AMM528930025 **59<sup>99</sup>**

**Steel Roll Weights with  
Dispenser Bracket**

SKU 382828  
AMM5280025 **106<sup>99</sup>**



Prices Subject To Change Without Notice.

### Tire Service

#### Alignment

### 650 Imaging Aligner System

**CALL 1-877-298-6651**  
**FOR PRICING** HOFEEWA712AL

The Geoliner 650 Imaging Alignment System Combines the Benefits Of Camera Technology and Quality at an Affordable Cost. Our Patented VODI Graphic Display is used with High-Definition (HD) Cameras to Provide Visual and Directional Assistance to the Technician During the Alignment Measuring Procedure.

#### Fixed Boom for Image Aligners

SKU 290013  
HOFEAA0321J01A **464<sup>99</sup>**

#### Multi-level Boom for Image Aligners

SKU 290012  
HOFEAA0321J19C **1,859<sup>99</sup>**



**Lift Gate Service**  
SKU 290017  
HOFLIFTGATE **95<sup>00</sup>**

#### Tire Repair

##### STORE STOCK

#### Euro Style Tire Patches for Passenger, SUV and Light Truck Tires

Mini Round, 1-3/8" . . . . .SKU 576765 . . . . .11-638 . . . . .	<b>6<sup>99</sup></b>
Small Round, 1-5/8" . . . . .SKU 576762 . . . . .11-645 . . . . .	<b>5<sup>99</sup></b>
Medium Round, 2" . . . . .SKU 576763 . . . . .11-655 . . . . .	<b>6<sup>99</sup></b>
Small Square, 1-1/2" . . . . .SKU 576754 . . . . .11-307/30 . . . . .	<b>7<sup>99</sup></b>
Medium Square, 1-7/8" . . . . .SKU 576778 . . . . .11-309/25 . . . . .	<b>8<sup>49</sup></b>



#### Radial Repair Units

Passenger Radial, 1-5/8" x 2-7/8" . . . . .SKU 625155 . . . . .11-413 . . . . .	<b>6<sup>99</sup></b>
Euro Style Radial, 2-1/4" x 4" . . . . .SKU 219784 . . . . .11-712 . . . . .	<b>12<sup>99</sup></b>

#### String-Type Repair Inserts

String-Type Insert, 4" Fat Brown . . . . .SKU 576776 . . . . .12-361 . . . . .	<b>9<sup>49</sup></b>
String-Type Insert, 8" Fat Brown . . . . .SKU 576780 . . . . .12-362/30 . . . . .	<b>10<sup>99</sup></b>



#### Combination Repair Units

Large Patch-Plug for 1/4" Injuries . . . . .SKU 576779 . . . . .13-382 . . . . .	<b>16<sup>99</sup></b>
--	------------------------

#### Tire Repair Chemicals and Mounting Lubricants

Vulcanizing Cement, 8 oz. . . . .SKU 576761 . . . . .14-008 . . . . .	<b>6<sup>99</sup></b>
Rubber-Prep Cleaner, 32 oz. . . . .SKU 576766 . . . . .14-100 . . . . .	<b>9<sup>49</sup></b>
Bead Sealer, 32 oz. . . . .SKU 576770 . . . . .14-101 . . . . .	<b>9<sup>99</sup></b>
Euro Paste Mounting Lube, 6-1/2 Lbs. . . . .SKU 605764 . . . . .14-700 . . . . .	<b>12<sup>99</sup></b>
Liquid Mounting Lubricant, 1 Gallon . . . . .SKU 605765 . . . . .14-753PM . . . . .	<b>5<sup>99</sup></b>

#### Tire Valves

TR#412, 7/8", 0.453 Rim Hole . . . . .SKU 078048 . . . . .17-412-10 . . . . .	<b>4<sup>99</sup></b>
TR#413, 1-1/4", 0.453 Rim Hole . . . . .SKU 576777 . . . . .17-413-50 . . . . .	<b>11<sup>99</sup></b>
TR#413 with Chrome Sleeve & Cap . . . . .SKU 078049 . . . . .17-413-10 . . . . .	<b>6<sup>99</sup></b>
TR#414, 1-1/2", 0.453" Rim Hole . . . . .SKU 605781 . . . . .17-414-50 . . . . .	<b>15<sup>99</sup></b>
TR#415, 1-1/4", 0.625" Rim Hole . . . . .SKU 576783 . . . . .17-415-50 . . . . .	<b>15<sup>99</sup></b>
TR#418, 2", 0.453" Rim Hole . . . . .SKU 576781 . . . . .17-418-50 . . . . .	<b>15<sup>99</sup></b>
TR#572, Brass Truck Valve, 3-3/4" . . . . .SKU 078051 . . . . .17-572T-10 . . . . .	<b>12<sup>99</sup></b>
1-1/4" High Pressure Valve . . . . .SKU 078053 . . . . .17-600HP-10 . . . . .	<b>5<sup>99</sup></b>



#### Tire Valve Accessories and Tools

Valve Core, High Temp (Red) . . . . .SKU 576774 . . . . .17-490HT . . . . .	<b>11<sup>99</sup></b>
Valve Cap, Black Plastic . . . . .SKU 576757 . . . . .17-492 . . . . .	<b>1<sup>29</sup></b>
Tread Depth Gauge . . . . .SKU 605801 . . . . .17-607 . . . . .	<b>1<sup>99</sup></b>

#### Alignment

### FWA 4630 Easy 3D Image Wheel Alignment System

**CALL 1-877-298-6651**  
**FOR PRICING** BOSF00E900648

No Space Required In Front Or Behind The Lift.

- Easily Transfers From Bay To Bay
- 4 Wheel Alignment Measurements In Less Than 4 Minutes
- Quick Audit Measurements Without An Alignment Rack
- No Calibration Required; Compatibility To Driver Assistance Calibration Devices

\*\*Note: Lift And Car Not Included



**Lift Gate Service**  
SKU 298692  
BOSLIFTGATE **50<sup>00</sup>**

#### Alignment

### Tru Align Wheel Alignment Adapter Kit

SKU 289907 **1,615<sup>00</sup>**  
TRU001

- Takes The Wheel Out Of The Alignment Equation
- Mount Alignment Heads To Any Diameter Wheel
- Eliminates The Need For Adapters And Extensions
- Mounts The Head Without Touching The Wheel Preventing Damage To The Wheel
- Adapts To Wheels That Do Not have A Lip Surface Available
- Works With All Current Alignment Machines, New Or Old



### Tru Align Roll Around Storage Cart

SKU 289908  
TRU002

**440<sup>00</sup>**

- Rated At Over 600Lbs Capacity
- Roller Bearing Drawers
- Heavy Duty Casters
- Single Point Lock For Both The Top And Drawers



Alignment and Adapter Kit Not Included

### Tru Align Storage Case

SKU 289891 **132<sup>00</sup>**  
TRU003

- Organize And Inventory All Parts At A Glance



#### Tire Accessories

### 3 Piece Wheel Protector Impact Socket Set 1/2" Drive

SKU 972769 **29<sup>99</sup>**  
24222

- Includes Sizes 17mm, 19mm and 21mm
- Outer Sleeve Keeps Wheels and Lug Nuts Damage Free


While Supplies Last



### 3 Piece 1/2" Drive Extra-Thin Wall Wheel/ Nut Protector Impact Socket Set

SKU 094646 **19<sup>99</sup>**  
25583

- 17mm / 11/16" - Blue
- 19mm / 3/4" - Yellow
- 21mm / 13/16" - Red



### 9 Piece SAE & Metric Wheel Protector Impact Socket - 1/2" Drive Extra Thin Wall

SKU 965856 **79<sup>99</sup>**  
24224

- Durable Outer Sleeve and Insert Protects High Polished Wheels and Lug Nuts
- Includes: 6 SAE Sockets in Sizes: 3/4" (Light Green), 7/8" (Green), 13/16" (Purple), 15/16" (Brown), 1" (Silver) and 1-1/16" (Black)
- 3 Metric Sockets in Sizes: 17mm (Blue), 19mm (Yellow) and 21mm (Red)



#### Bead Seating Tool

### 5 Gallon Bead Seating Tool

SKU 972321 **249<sup>99</sup>**  
TSICH05

- The Ch-5 Cheetah™ Bead Seater™ Makes Seating the Most Difficult Bead not Only Safe but Simple, Fast and Economical
- Designed for Commercial Use on All Tires ATV to 24-1/2" Truck Tires, the Ch-5 Cheetah Bead Seater Takes the Work Out of Seating Tire Beads



#### Tire Test Tank

### Tire Tube Test Tank

SKU 291382 **59<sup>99</sup>**  
LIS19822

- The Tank Features Reinforcement Ribs For Extra Support
- Will Handle Passenger Tire Sizes To Wide Oval And Light Duty Truck Tires
- Dimensions 31" X 12" X 12"



### 4 Piece SAE and Metric Impact Flip Socket Set - 1/2" Drive Deep Thin Wall

SKU 965857 **24<sup>99</sup>**  
24223

- Includes: 3/4" x 13/16" Flip Socket, 7/8" x 15/16" Flip Socket, 19mm x 21mm Flip Socket and 3" Extension



### 5 Piece Adapter and Universal Joint Set - 3/8" and 1/2" Drive

SKU 965864 **29<sup>99</sup>**  
24226

- Includes: 3/8" Drive Universal Joint, 3/8" Dr. (F) x 1/2" (M) Adapter, 1/2" Drive Universal Joint, 1/2" Drive (F) x 3/8" (M) Adapter and 1/2" Drive (F) x 3/4" (M) Adapter



### 5 Piece Torque Limiting Extension Set - 1/2" Drive

SKU 965858 **99<sup>99</sup>**  
24220

- Includes Sizes: 65 Ft/Lbs Extension x 90 Nm, 80 Ft/Lbs Extension x 110 Nm, 100 Ft/Lbs Extension x 135 Nm, 120 Ft/Lbs Extension x 160 Nm, 140 Ft/Lbs Extension x 190 Nm



### 10 Piece Torque Limiting Extension Set - 1/2" Drive

SKU 965855 **199<sup>99</sup>**  
24221

- Includes Sizes: 17mm x 55 Ft/Lbs x 75 Nm, 17mm x 80 Ft/Lbs x 110 Nm, 21mm x 80 Ft/Lbs x 110 Nm, 19mm (3/4") x 100 Ft/Lbs x 135 Nm, 19mm (3/4") x 80 Ft/Lbs x 90 Nm, 19mm (3/4") x 80 Ft/Lbs x 110 Nm, 22mm (7/8") x 120 Ft/Lbs x 160 Nm, 22mm (7/8") x 140 Ft/Lbs x 190 Nm, 3/16 x 100 Ft/Lbs x 135 Nm and 15/16 x 140 Ft/Lbs x 190 Nm



### 9 Piece Wheel Lock Removal Impact Socket Set - 1/2" Drive

SKU 965865 **49<sup>99</sup>**  
24225

- Includes: GM Hubcap Lock Remover, GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover, Large Universal Locking Lug Nut Remover, Large Wheel Cover Lock Remover, Remover for Stripped 18mm Lug Nuts, GM "M" and "F" Body Wheel Lock Remover and Lug Nut Remover Punch

